### Stop #2: Evaluation of Fungicides for Control of Anthracnose on Annual Bluegrass Putting Greens

Katarzyna Jagiełło-Kubiec, Martino Cuccagna, Marco Schiavon and Jim Baird Department of Botany and Plant Sciences, University of California, Riverside

## Objectives

Thirteen fungicide treatments were evaluated for their ability to control anthracnose disease preventatively on an annual bluegrass green.

### Materials and Methods

Inoculation was achieved through core aeration and dragging in order to spread the existing inoculum. The plot was originally established in 2007 from seed with 'Peterson's Creeping' annual bluegrass. The study was completely randomized with eight replications. Fungicide treatments were initiated on 7 June 2016 before disease symptoms were present. Treatments were sprayed every 14 days. The plot receives 0.125 lb N/1000ft<sup>2</sup> every 14 days and was topdressed on 24 August 2016. The most recent rating date before publication was 29 August 2016.

Soil: Hanford fine sandy loam amended with sand

Plot Size: 4' X 6'

Application Information: CO<sub>2</sub> Backpack sprayer with TeeJet 8004VS nozzles Output: 2 gal/M

Mowing Regime: 0.125 inches 3 days/wk

### **Results and Conclusions:**

Overall, anthracnose disease pressure and distribution were moderate to heavy, with disease present in every replication by mid-June. All of the fungicide treatments, except treatment 8, significantly reduced disease pressure when compared to the control. No significant differences have been seen when comparing different treatments (Table 1). However, three treatments (Heritage Action + Daconil Action; Syngenta GreenCast Program Poa Greens- CA; and Lexicon) have resulted in consistently high turf quality and the lowest percentage of anthracnose disease cover.

### Acknowledgments:

Thanks to BASF, Bayer, Syngenta, and the California Turfgrass & Landscape Foundation (CTLF) for supporting this research.

Trt	Treatment Rate/ Name 1000 ft <sup>2</sup>		Application Code	Anthracnose [%] 08/15/16	Anthracnose [%] 08/29/16	Turf quality 1-9 08/15/16	Turf quality 1-9 08/29/16		
1	Heritage Action Daconil Action Primo Maxx	0.2 oz 3.5 oz 0.1 oz	ABCDEFGH ABCDEFGH ABCDEFGH	30.3 bc	34.6 bcd	5.8 abc	5.8 abc		
2	Heritage Action Daconil Action Appear	0.2 oz 3.5 oz 6.0 oz	ABCDEFGH ABCDEFGH ABCDEFGH	30.9 bc	30.6 bcd	5.3 abc	5.0 abc		
3	Heritage Daconil WS Signature Xtra	0.2 oz 3.6 oz 4.0 oz	ABCDEFGH ABCDEFGH ABCDEFGH	12.6 c	16.3 bcd	6.3 ab	5.9 ab		
4	Velista Daconil Action Primo Maxx	0.5 oz 3.5 oz 0.1 oz	ABCDEFGH ABCDEFGH ABCDEFGH	32.5 bc	41.9 abc	5.0 bc	4.3 cd		
5	Velista Daconil Action Primo Maxx	0.5 oz 3.5 oz 0.1 oz	ABCDEFGH ABCDEFGH ABCDEFGH	23.3 bc	19.9 bcd	6.0 abc	5.9 ab		
6	Heritage Action Daconil Action	0.2 oz 3.5 oz	ABCDEFGH ABCDEFGH	19.0 bc	15.6 bcd	6.0 abc	6.3 a		
7	Syngenta GreenCast Program Poa Greens- CA			6.3 c	13.8 cd	6.9 a	6.3 a		
	Daconil Action Velista Appear	3.5 oz 0.5 oz 6.0 oz	ACDEGH ADFH ABCEFGH						
	Primo Maxx Heritage Action Briskway	0.1 oz 0.2 oz 0.5 oz	ABCDEFGH BEG C						
8	Bayer Program Signature Xtra Daconil	4.0 oz	ACDEFGH	43.4 ab	43.8 ab	4.4 cd	4.6 bc		
	Weatherstik Mirage Insignia	3.2 oz 1.0 oz 0.7 oz	ADFH BEG CE						
9	Bayer Program Signature Xtra Daconil	4.0 oz	ACDEFGH	19.3 bc	25.1 bcd	5.5 abc	5.8 abc		
	Weatherstik Mirage Insignia	3.2 oz 1.5 oz 0.7 oz	ADFH BEG CE						
10	Bayer Program Signature Xtra	4.0 oz	ACDEFGH	30.8 bc	34.3 bcd	5.4 abc	5.1 abc		
	Daconil Weatherstik Mirage Insignia	3.2 oz 1.0 oz 0.7 oz	ADH BEG CE						
	Medallion	0.5 oz	F						

Table 1. Effect of fungicides and fungicide programs on anthracnose cover (0-100%) and turf quality (1-9, 9 = best). Riverside, CA. 2016.

11	BASF			25.3 bc	31.0 bcd	5.5 abc	5.0 abc
	Program						
	Lexicon	0.47 oz	ACEG				
	Encartis	4.0 oz	BDFH				
	Trinity	1.0 oz	BDFH				
12	Encartis	4.0 oz	ABCDEFGH	21.4 bc	26.8 bcd	5.8 abc	5.3 ab
13	Lexicon	0.47 oz	ABCDEFGH	9.0 c	8.6 d	6.4 ab	6.1 ab
14	Check			61.8 a	66.1 a	3.1 d	3.0 d

Application code:

A – 06.07.16	E – 08.02.16
B – 06.21.16	F – 08.16.16
C – 07.05.16	G – 08.30.16
D – 07.19.16	H – 09.13.16

# Table 2. Anthracnose fungicide trial plot plan. Riverside, CA. 2016.

9	2	8	13	9	7	6	14	5	10	9	12	13	5		12
3	7	1	8	3	2	11	5	8	2	7	7	10	11	3	7
5	2	4	2	10	5	9	3				9	8	10	8	
9	4	14	8	10	5	13	13	1	3	6	1	14	11	1	
13	1	4	11	6	6		10								
8	6	1	2	13	14	4	9	4	8						
5	11	12	7	12	7	7	12	11							
10	13	14	9	4	11	10	2	6	5	13	6	14	4		
11	3	14	3	12	1	12	3	4	1	12	14	2	6		